




# *Thunderstorms, Tornadoes, Derochos and Waterspouts*



GEOG/ENST 2331 –  
Lecture 18



Ahrens: Chapter 14


Photo source

Lake Huron NOAA

9 September 1999









# *Last lecture*

## ✚ Midlatitude cyclones

- ✚ Polar front theory
- ✚ Vorticity
- ✚ Baroclinic instability
- ✚ Jet streaks








# *Thunderstorms and Tornadoes*

## ✦ **Thunderstorms**

- ✦ **Ordinary thunderstorms**
- ✦ **Supercell thunderstorms**
- ✦ **Lightning and thunder**


## ✦ **Tornadoes**



# *Ingredients*


- ✦ Warm, humid air
- ✦ Conditional or absolutely unstable ELR
- ✦ Once air starts moving upward, it keeps going until it hits a stable layer – possibly right to the stratosphere






# Thunderstorms

- As the air rises, moisture condenses and clouds form
- Too fast for precipitation
- Kept aloft by updraft.
  
- Entrainment*
- Heavy drops begin to fall
- Cold air and precipitation cause a downdraft.



Ahrens: Active Fig. 14.2







# Thunderstorms

- ✦ *Gust front* forces more air up into the updraft.
- ✦ Updraft and downdraft form a *convective cell*.
- ✦ When the gust front moves past the updraft, the updraft weakens.
- ✦ Rain starts to fall into the updraft, cutting off the rising humid air.
- ✦ **Process may repeat in *multicell* thunderstorms**


Mature




Dissipating








# *Multicell Thunderstorms*



Ahrens: Fig. 14.5





# *Multicell storms*

## ☉ Squall line

- ☒ A line of thunderstorms
- ☒ Severe squall lines may form along or in front of a cold front.



## ☉ Mesoscale Convective Complex (MCC)

- ☒ Oval or roughly circular organized systems
- ☒ Self-propagating
- ☒ Downdrafts lead to the formation of new, powerful cells nearby




Ahrens: Figs. 14.12 and 14.17






Thunderstorm movement in an Mesoscale Convective Complex




# Downbursts

- ✦ Strong downdrafts may also create downbursts
  - ✦ Wind speed over 270 km/h
- ✦ Spread outward in all directions at surface
  
- ✦ Downbursts with diameters of less than 4 km are called *microbursts*
  - ✦ Potentially deadly problem near airports



Ahrens: Figs. 14.10 and 14.11







# *Supercell thunderstorms*

Severe thunderstorms can form in areas where there is strong *vertical wind shear*


E.g. between the fronts of a midlatitude cyclone

Upper level winds push the updraft away from the precipitation.







# Self Propagating Severe Thunderstorms



(a)







(b)



## ☉ Supercell Storms

Below: Internal structure of a supercell  
Right : Organization of a supercell as seen on a radar image







# *Thunderstorms*










## *Thunderstorm distribution*

Ahrens: Fig. 14.24



# *Worldwide Distribution*





# *Lightning*

- ⊕ Giant sparks travelling through the air
- ⊕ Air is heated to extremes such as  $30,000^{\circ}\text{C}$
- ⊕ Rapid expansion causes a thunderous shockwave
- ⊕ The majority of strikes occur within the clouds; roughly 1 in 5 hits the ground.




Ahrens: Fig. 14.26




# *Lightning*

Ahrens: Fig. 14.28









# Lightning




- ❖ Unsure how clouds become electrically charged
- ❖ One theory is that when precipitation particles with different temperatures collide they become charged
- ❖ Updrafts sweep up the little particles creating a physical separation between charges.




Ahrens: Fig. 14.27



# Lightning




Ahrens: Active Fig. 14.22



# *Thunder*

- ✦ The rapid expansion of air associated with a lightning stroke causes thunder
- ✦ The slower speed of sound, with reference to light, causes a lag between the stroke and the resulting thunder
- ✦ To estimate the distance (in km), count the seconds between the light and sound and divide by 3



# *Lecture outline*

✚ Thunderstorms


✚ **Tornadoes**

✚ **Necessary conditions**

✚ **Development**

✚ **Climatology**






## *Tornadoes*

Rotating column of air with extremely violent winds

100-500 km/hr



# *Elie, Manitoba, 2007*

## ✦ F5 Tornado

- ✦ Strongest confirmed in Canada

## ✦ No-one injured or killed

- ✦ Several houses demolished

## ✦ Video




Ahrens: Fig. 14.34




# Tornadoes


- ✦ Typical ingredients:
  - ✦ Open wave cyclone
  - ✦ Very humid air at the bottom
  - ✦ Low-level jet of warm air from the south
  - ✦ Above, cold air flowing in from the southwest
  - ✦ Upper level divergence
  - ✦ Conditionally unstable atmosphere



Ahrens: Fig. 14.21




# *Tornado ingredients*



Ahrens: Fig. 14.22



- ✪ Very humid up to around 800 hPa
- ✪ *Inversion* acts like a lid on the warm, moist air
- ✪ Cold dry air above the lid
  - ✪ *Absolute instability*
- ✪ Rapid thunderstorm development






# Tornadoes

- Recall: in a supercell storm, strong wind shear can set up horizontal rotation
- *Vortex tube* of spinning air
- Strong updrafts can tilt the tube and draw it up into the storm
- Creates a rising, spinning column of air called a *mesocyclone*




Ahrens: Fig. 14.41

(b)




- ☉ Swirling water and ice caught up in the mesocyclone may lead to a *rear flank downdraft*
- ☉ When it hits the ground it creates a second inflow and may interact to form a tornado
- ☉ Around 15% of supercell thunderstorms produce a tornado



# *Tornadoes*



© 2000 Brooks/Cole Publishing a  
division of Thomson Learning, Inc.



## *Tornado classification*


Fujita Scale

Ted Fujita (1920-1998)

A&B: Table 11-2

Intensity	Wind Speed (km/hr)	Wind Speed (mph)	Typical Amount of Damage
F0	< 116	< 72	Light: Broken branches, shallow trees uprooted, damaged signs and chimneys.
F1	116–180	72–112	Moderate: Damage to roofs, moving autos swept off road, mobile homes overturned.
F2	181–253	113–157	Considerable: Roofs torn off homes, mobile homes completely destroyed, large trees uprooted.
F3	254–332	158–206	Severe: Trains overturned, roofs and walls torn off well-constructed houses.
F4	333–419	207–260	Devastating: Frame houses completely destroyed, cars picked up and blown downwind.
F5	420–512	261–318	Incredible: Steel-reinforced concrete structures badly damaged.
F6	>513	>319	Inconceivable: Might possibly occur in small part of an F4 or F5 tornado. It would be difficult to identify the damage done specifically by these winds, as it would be indistinguishable from that of the main body of the tornado.







▼ Table 14.3 Modified (EF) Fujita Scale for Damaging Winds


EF SCALE	km h <sup>-1</sup> *	KNOTS
EF0	105–137	57–74
EF1	138–177	75–96
EF2	178–218	97–118
EF3	219–266	119–144
EF4	267–322	145–174
EF5	> 322	> 174

\*The wind speed is a three-second gust estimated at the point of damage, based on a judgment of damage indicators.




# *Global tornado frequencies*






Annual average per  
10,000 km




Ahrens: Figs. 14.36  
and 14.35






# *Landspouts*




(a)



(b)

- ✦ Weaker tornadoes can be formed under different conditions
- ✦ E.g. a 'landspout':
  - ✦ At the boundary between two winds, the air will spin
  - ✦ If the updraft of a developing storm passes over it, rotating air will be sucked up into the cloud
  - ✦ Conservation of angular momentum will dramatically increase the wind speeds





## *Next lecture*

✚ Hurricanes

✚ Ahrens: Chapter 15