




Ahrens: Figure 8.15




Put the air in motion

- ✪ Horizontal pressure gradients cause the air to move
- ✪ The Earth's surface is a spinning frame of reference
- ✪ Push an object within that reference and it will not appear to travel in a straight line






The Coriolis Effect



Ahrens: Fig. 8.21




Forces and Winds

GEOG/ENST 2331 – Lecture 7

Ahrens et al., Chapter 8


Lab 3




Last lecture: Pressure Gradients


Last lab: Isotherms and Isobars

- ⊕ Pressure in the atmosphere
- ⊕ Forces in the atmosphere
 - ⊞ Pressure gradient force
 - ⊞ Gravitational force
- ⊕ Pressure in the upper atmosphere




Pressure Gradient – a rate of change in pressure







Forces and Winds

- ✦ **Coriolis force**
 - ✦ **Nature and description**
 - ✦ **Geostrophic winds**
- ✦ **Frictional force**
- ✦ **Measuring wind**



Coriolis effect


- ✦ “Fictitious” or “apparent” force due to rotation of the Earth.
- ✦ In the Northern Hemisphere (NH) moving objects are deflected to the **right**.
- ✦ In the Southern Hemisphere, the deflection is to the **left**.
- ✦ Only noticeable on large scales (hundreds of kilometres).




Coriolis effect

The ball is thrown straight at the target, but the target is moving. The *apparent* trajectory of the ball is a bend to the right.

Ahrens: Fig. 8.21




Coriolis effect





Thought exercise: Starting at North Pole, you aim your plane straight at Thunder Bay.

*What city are you more likely to arrive at:
Thunder Bay, Toronto, or Regina?*




A function of latitude







Latitude and spin




Ahrens: Fig. 12.20



Geostrophic Wind




Ahrens: Active Fig. 8.21



Geostrophic Wind


- ✦ Result of a horizontal balance of forces.
 - ✦ Pressure gradient force
 - ✦ Coriolis force
- ✦ Flow is always parallel to isobars
- ✦ Upper air flow over large distances always becomes geostrophic



Geostrophic Wind – Lab 3

$$u = - \frac{1}{(2\Omega \sin \phi)\rho} \frac{\Delta P}{\Delta y}$$

$$v = \frac{1}{(2\Omega \sin \phi)\rho} \frac{\Delta P}{\Delta x}$$





Upper air winds

Upper atmosphere winds are typically *zonal*

Westerly winds in both hemispheres

Ahrens: Fig. 8.29
500 hPa
Isobaric Chart






Gradient Wind


Circular motion involves constant acceleration toward a centre.

$PGF > CF$

Flow is at a constant speed parallel to curved isobars.



Ahrens: Fig. 8.27a




Gradient Wind

Circular motion involves constant acceleration toward a centre.


$CF > PGF$

Flow is at a constant speed parallel to curved isobars.

For an equal pressure gradient, gradient flow around highs is *faster* than flow around lows




Ahrens: Fig. 8.27b




Frictional force

- ✦ Force at the contact of moving surfaces
- ✦ Like CF, friction is proportional to velocity, but always acts in the **opposite** direction
- ✦ Important for air within 1.5 km of the surface, the *planetary boundary layer*
 - ✦ Above 1.5 km is the *free atmosphere*





Balance of forces

Free atmosphere




Boundary layer







Cyclonic motion




(a)



(b)



(c)




(d)

☉ Counterclockwise in NH


☉ Convergence of winds at the surface

☉ Clockwise in SH


☉ A&B: Figure 4-17



Anticyclonic motion




(a)




(b)

- ☉ Clockwise in NH
- ☉ Divergence of winds at the surface




(c)




(d)

- ☉ Counterclockwise in SH
- ☉ A&B: Figure 4-16




(a) Northern Hemisphere




(b) Southern Hemisphere

Wind flow patterns


Ahrens: Fig.: 8.28



Surface winds and vertical motion





Ahrens: Fig. 8.33



Measuring wind

- ✦ Wind vane
 - ▣ Direction
- ✦ Anemometer
 - ▣ Speed





Wind speed

✦ km/h


✦ m/s (1 m/s = 3.6 km/h)

✦ Knot: a nautical mile per hour

✦ 1.9 km/h


✦ Equal to one *minute* of latitude (one 60th of one degree) per hour

✦ Originally measured by equally spaced knots in a rope dragged behind a ship



Wind direction

- ✦ Winds are always named after the location they blow **from**:
 - ✦ A wind that is travelling east is called a *west wind* or *westerly*
 - ✦ A wind travelling north to south is a *north wind*
 - ✦ A wind blowing in from the lake is called a *lake breeze*



Next week

- ✚ Moisture and humidity
- ✚ Atmospheric stability
- ✚ Ahrens et al., Chapters 4 and 6